Doctors of Nursing Practice 2021

National Conference

Amanda Prator, DNP, FNP-BC

*Project Committee December 2018:

Amanda Prator, FNP-BC, DNP student at Augusta University

Becky Abell, MD, FAECP

Pamela Cromer, DNP, FNP-BC

Darrell Thompson, DNP, ACNP-BC, FNP-C

THE DNP ROLE IN SCOPE OF PRACTICE **EXPANSION FOR GEORGIA EMT & EMT-I** IN EMERGENT TREATMENT OF ANAPHYLAXIS

Objectives

- 1. Identify two key factors needed for quality improvement.
- 2. Identify key steps in the process of developing a training module to teach others a new skill.
- 3. Recognize that collaboration is a key component of quality improvement.

Background

- Advanced Emergency Medical Technician (AEMT)
 - ✓ Epinephrine via draw and inject method
 - ✓ Epinephrine via autoinjector
- Emergency Medical Technician Intermediate (EMT-I)
 - ✓ Epinephrine only via autoinjector
- Emergency Medical Technician
 - ✓ Epinephrine only via autoinjector

Problem

• 1:50²

1% Fatality⁵

Delayed treatment⁵

• Worldwide shortages³

Cost prohibitive¹

• Limited alternatives³

¹ Boundtree, n.d.

²Grissinger, 2017

³ Latimer, et. al., 2018

⁴ Pepper, et. al., 2017

⁵Turner, et. al., 2017

Solution

- Epi-kit¹
- King County, Washington³
- 20+ states²

¹Boundtree, n.d

² EMS Protocols, n.d.

³ Latimer, et. al., 2018

Process

- Literature review
- Donabedian model
 - Structure
 - Process
 - Outcome
- Augusta University IRB

Process

- Development
 - a) Online Power Point training module
 - b) Imbedded demonstration video
 - c) Pre-test/Post-test
 - d) Skills check off

Results

State Level

- ✓ Appropriate, quality educational materials developed
- ✓ Approved skills evaluation
- ✓ Georgia legislation revision

Local Level

- ✓ Scope of practice expansion
- ✓ Increased patient access to life saving treatment
- ✓ Increased quality of care for the population

<u>References</u>

- Bound Tree Medical (n.d.) Retrieved from www.boundtree.com
- EMS Protocols (n.d.). Retrieved from www.emsprotocols.org
- Georgia Office of EMS and Trauma (2019). Scope of practice for EMS personnel. Retrieved from https://dph.georgia.gov/EMS/protocols-and-scope-practice
- Grissinger, M. (2017). Epinephrine for anaphylaxis: Autoinjector or 1-mg vial or ampule? *Pharmacy* and *Therapeutics*. 42(2):724-725. Retrieved from www.ncbi.nlm.nih.gov/pmc/articles/PMC5720482
- Latimer,A., Hussain, S., Eisenberg, M., Nolan, J., (2018) *Journal of Emergency Medical Services*. County (Wash.) EMS saves \$334,000 annually by switching to IM Delivery of epi by EMTs. 6(42). Retrieved from: https://www.jems.com/2017/05/31/king-county-wash-ems-saves-334-000-annually-by-switching-to-im-delivery-of-epi-by-emts/
- Turner, P. J., Jerschow, E., Umasunthar, T., Lin, R., Campbell, D. E., & Boyle, R. J. (2017). Fatal anaphylaxis: Mortality rate and risk factors. *The Journal of Allergy and Clinical Immunology in Practice*. 5(5):1169-1178. Doi 10.1016/j.jaip.2017.06.031
- Pepper, A. M., Westermann-Clark, E., Lockey, R. F. (2017). The high cost of epinephrine auto-injectors an alternatives. *The Journal of Allergy and Clinical Immunology:* In Practice. 5(3):665-668. Doi 10.1016/j.jaip.2016.12.018