Animal Number Location Info **Animal Info** A0049742345 Active Whiskey - Dog Mixed Breed, Medium (up to 44 lbs fully grown)/Mix -Capital Area Humane Tan/Black - Tricolor Society 3y 4m 24d, DOB: 03/10/2021, Altered: Yes, Size: Medium, Weight: 49.60 pound Dog Runs-Main Available Male - Adult (1 year to 6 Street - 503 years) 982091066561265 Bitten: No Bite History

### **Medical Summary**

Medical Record #	Type	Subtype	Medical Status	Temperament Status	Exam/ Surgery Date	Review Date
M0077972747	Exam	Medication Rx	A SHARES SAFERS SOLECTED	<u>Julius</u>	7/25/2024 1:13:00 PM	
Notes:	Per Dr. Morrison MEDICATIONS: Trazodone 100	m, barking, whining, head, prescribing trazodone mg: Give 1.5 tablets by r	and re-evaluating in 14 mouth every 12 hours. S	days.	uate 8/8.	
M0077920109	Exam	Miscellaneous			7/22/2024 3:34:00 PM	
M0077917322	OBSERVATIONS: This dog was observed having diarrhea ranking 6-7/7 on the Purina fecal scale and containing mucous. He is BAR, eating and drinking normally, and no vomit has been observed.  ASSESSMENT & PLAN: Per Dr. Morrison, starting diarrhea protocol medications with metronidazole and extended fiber support. Stools will be monitored for improvement.  INFORMATION TO GO OVER WITH AN ADOPTER: This animal is being treated for diarrhea. Diarrhea can be caused by many sources including intestinal parasites, bacteria, viruses, food sensitivities, indiscriminate eating of things, metabolic disease, stress, and more. When an animal has diarrhea at CAHS, the overall health of the animal is noted, the animal is monitored, and given medical care. Some causes of diarrhea can be spread to other animals or even people so it is recommended that you keep the adopted animal separate from your other resident animals for 2 weeks post-adoption and symptor resolve or otherwise recommended by your primary veterinarian. It is important to clean up stool right away, to consider bathing the animal if they get stool on themselves, and to wash your hands.  MEDICATIONS: Panacur Granules: Mix 1 pre-dosed packet (50# dose) with food every 24 hours for 6 days. Start 7/23, End 7/28.  Metronidazole 250 mg: Give 2 tablets by mouth every 12 hours for 10 days. Start 7/23, End 8/1.  ProPectalin Tablets: Give 2.5 tablets by mouth every 12 hours for 10 days. Start 7/23, End 8/1.					
	Exam	Technician Exam			7/22/2024 2:16:00 PM	8/22/2024 2:16:00 PM
Vitals:	49.60 pound		die tre tresserent la			
Notes:	Microchip scann	ated, presumed neutere	ed		para a distantin pi	

Microchip scanned at exam
No testicles palpated, presumed neutered
No fleas or flea dirt
All adult teeth present
Clear ocular discharge
Mild/moderate dental tartar
Rear dewclaws curled- trimmed, adopters should monitor these nails to prevent overgrowth
Per Dr. Morrison; mild epidermal collarettes over ventral abdomen- recommend bath and monitor

A standard physical examination was performed, and any abnormalities, specific findings or recommendations have been noted above. Please be aware that not all diseases or illnesses can be immediately detected and may harbor for months prior to eliciting any clinical symptoms.

Our vaccination protocols in shelter may vary from that of a primary care veterinary hospital due to the number of animals under our care and the risks of potential disease exposure. All cats/dogs at CAHS receive FVRCP/DA2PP+ L vaccines following the American Animal Hospital Association (AAHA) guidelines. At time of intake, if vaccines are unknown or have lapsed, AAHA recommends that adult cats/dogs in an individual home environment may not need boosters or can receive booster vaccines in 3-4 weeks while shelter housed cats/dogs can be boostered in 2-3 weeks. Kittens/pupples in an individual home environment can receive a series of booster vaccines every 3-4 weeks until 4 months of age, while shelter housed kitten/pupples can be boostered sooner at 2-3 weeks until 5 months of age. Adopters should follow up with their primary veterinarian to discuss vaccination protocols specific to an individual pet and their home environment.

Please note that for animals with an unknown history, their age is based on physical examination findings including teeth ar body condition.

It is recommended that within 14 days of adoption, you consult with a primary care veterinarian of your choice who will be able to provide ongoing care for your new pet. Unless stated in the medical record, follow-up vaccinations, deworming, flea prevention or other treatments may be necessary and should be discussed with your veterinarian.

Heartworm - Adult Dog:

This dog has tested NEGATIVE for heartworm at time of intake examination. This dog has been started on monthly heartworm preventative. The American Heartworm Society 2019 Guidelines recommend retesting for heartworms in 6 months from date of original heartworm test then every year thereafter along with year round heartworm prevention.

Mild to moderate dental tartar or calculus were seen during the intake examination. It is recommended that an adopter consult with their family veterinarian about at home dental care and scheduling an anesthetic dental cleaning with full mouth dental x-rays. If the dental tartar continues to build up, dental disease can occur contributing to health problems such as kidney failure, liver and heart

### TO BE DISCUSSED AT THE TIME OF ADOPTION:

Thank you for adopting and caring for a dog that is overweight! Obesity in pets can cause a variety of problems such as joint problems, respiratory compromise, diabetes mellitus, decreased life span and many other issues. To help your new friend live a long happy life, we suggest feeding your dog for his/her ideal weight. Along with appropriate feeding, we recommend a routine exercise schedule. This can consist of daily walks, lengthy play time sessions, etc. For training purposes, some low calorie treats options include Cheerios, carrots, blueberries. While at the shelter, your dog was fed Purina One Chicken & Rice dry food twice daily for its estimated ideal weight. It is important that adopters follow up with their primary veterinarian to discuss weight loss options and to monitor the rate of weight loss for their pet. Gradual weight loss of 1-2% of their body weight per week is best.

	The file of the grit loss for their pet, oraqual weight loss of 1-270 of their body weight per week to been.							
M0077899835	Exam	Vaccination Exam			7/20/2024 4:35:00 PM			
Vitals:	49.60 pound							
M0065988276	Exam	Preventatives			3/14/2022 3:38:00 PM			
M0065962614		CAUCN			20/44/0000 0:57:00 DM			
M0065962614	Surgery	CAHS Neuter			3/11/2022 3:57:00 PM			
Vitals:	28.80 pound							
	Surgical remova omentum from a TO BE DISCUS No external sutu POST-OP MED Carprofen 100m	In umbilicial hernia. Mass SED AT TIME OF ADOP Ires present. ICATIONS: Ig: Give 1/2 tablet by mod	s over umbilicus with to removed and hernia PTIONS:  uth every 24 hours for	repaired. 5 days. Start 3/12,	le-tinged skin. Was a strangulated r	nass of		
M0065945045	Exam	Technician Exam			3/10/2022 2:05:00 PM			
Vitals:	28.80 pound			Control of the Contro				
Notes:	Body condition s No microchip so 2 testicles palpa	anned at the time of the	exam	A STATE OF THE STA				

No fleas or flea dirt All adult teeth present Mild dental tarter Rear dewclaws Mildly bulging eyes

This animal received an initial vaccination of DA2PP, because this animal's vaccination history is unknown it is recommended by the American Animal Hospital Association that a follow up booster is given in 3-4 weeks from the date the initial vaccine is given. Adopters should follow up with their primary Veterinarian to discuss vaccination protocols.

#### Leptospirosis Vaccination:

Leptospirosis is a disease that can affect human and animals, including your pets. All animals can potentially become infected with leptospirosis. The bacteria that cause leptospirosis are spread through the urine of infected animals, which can get into water or soil and can survive there for weeks to months.

This animal has been started on a vaccination series for Leptospirosis.

This vaccine requires a booster at 2-4 weeks to be effective. CAHS will revaccinate in 2 weeks, however if this animal is adopted before then, it is the responsibility of the adopter to receive the booster vaccine from their primary veterinarian. Adopter should discuss this with their primary veterinarian. Leptospirosis vaccines are administered subcutaneously with the Distemper combination



vaccination (DA2PP) in the right forelimb.

As with all other vaccines, this vaccine may not prevent the animal from becoming sick but should lessen the severity of the illness and decrease the amount of time the animal may shed the bacteria.

A standard physical examination was performed, and any abnormalities, specific findings or recommendations have been noted above. Please be aware that not all diseases or illnesses can be immediately detected, and may harbor for months prior to eliciting any clinical symptoms.

Our vaccination protocols in shelter may not reflect that of a primary care veterinary hospital due to the volume of animals within our care and the risks of potential disease exposure. Please note that for animals with an unknown history, their age is based on physical examination findings and overall body condition.

It is recommended that within 14 days of adoption, you consult with a primary care veterinarian of your choice who will be able to provide ongoing care for your new pet. Unless stated in the medical record, follow up vaccinations, deworming, flea prevention or other treatments may be necessary and should be discussed with your veterinarian.

#### Heartworm - Adult Dog:

This dog has tested NEGATIVE for heartworm at time of intake examination. This dog has been started on monthly heartworm preventative. The American Heartworm Society 2019 Guidelines recommend retesting for heartworms in 6 months from date of original heartworm test then every year thereafter along with year round heartworm prevention.

M0065944099	Exam	Miscellaneous	3/10/2022 1:32:00 PM
Notes:	At time of intake study, this dog w	PTER'S FAMILY VETERINARIAN:  ke, this dog has been initiated into an MSU behavior study. Due to protocols for medication consistency within the g will be sent home with 2 doses of Heartgard and Nexgard to give the day the dog is adopted and again in 30 days if nooses to continue enrollment in the study at the time of adoption.	
M0065942083	Exam	Historical Exam	3/10/2022 12:24:00 PM

Clinton County Animal Control provided the following:

3/10/22: DA2PPL initial

Conditions	Type	Noted Date	Body Part	Resolution Date	Review Date	Record #
Diarrhea Concern	Symptom	7/22/2024 3:34:00 PM			7/28/2024 3:43:00 PM	M0077920109

Tests	Test For Condition	Result	Test Date	Result Date	Re-Test Date	Record #
SNAP Canine Heartworm Test		Negative	7/22/2024 2:16:00 PM	7/22/2024 2:16:00 PM	1/22/2025 2:16:00 PM	M0077917322
SNAP Canine Heartworm Test		Negative	3/10/2022 2:05:00 PM	3/10/2022 2:05:00 PM	9/10/2022 2:05:00 PM	M0065945045

Vaccinations	Type	Vaccination Date	Re-Vac Date	Pet ID	Pet ID Type	Record #
Rabies 1 year - Nobivac	Killed	7/22/2024 2:16:00 PM	7/22/2025 2:16:00 PM	8739	Rabies Tag	M0077917322
Bordetella Nobivac	Modified Live + Avirulent Live	7/20/2024 4:35:00 PM	1/20/2025 4:35:00 PM			M0077899835
Lepto initial - Nobivac	Not Set up	7/20/2024 4:35:00 PM	8/3/2024 4:35:00 PM			M0077899835
DA2PP Initial - Nobivac	Modified Live	7/20/2024 4:35:00 PM	8/3/2024 4:35:00 PM			M0077899835
Bordetella, Intra Nasal	Not Set up	3/14/2022 3:38:00 PM	9/14/2022 3:38:00 PM			M0065988276
Rabies 1 Year	Killed	3/10/2022 2:05:00 PM	3/10/2023 2:05:00 PM	10035	Rabies Tag	M0065945045
Lepto vaccine initial- History	Not Set up	3/10/2022 12:24:00 PM	3/24/2022 12:24:00 PM			M0065942083
DA2PP initial - History	Not Set up	3/10/2022 12:24:00 PM	3/24/2022 12:24:00 PM			M0065942083

Medical Care	Туре	Dose/Recurrences	For	Medical Care Date	Review Date	Record #
Interceptor Plus 25.1- 50#	Procedure	1 tablet		7/22/2024 2:16:00 PM	8/21/2024 2:16:00 PM	M0077917322
.Credelio 25-50#	Procedure	1 tablet		7/22/2024 2:16:00 PM	8/21/2024 2:16:00 PM	M0077917322
Pyrantel Pamoate Dewormer	Medication	5 mL		7/22/2024 2:16:00 PM	8/5/2024 2:16:00 PM	M0077917322
.Interceptor Plus 25.1- 50#	Procedure	1 tablet		3/10/2022 2:05:00 PM	4/9/2022 2:05:00 PM	M0065945045
Vectra 3D 21-55 pound (Blue)	Medication	1 vial		3/10/2022 2:05:00 PM	4/10/2022 2:05:00 PM	M0065945045

Surgery Certificate Aug 03, 2024

CAPITAL AREA

Capital Area Humane Society 7095 W Grand River Avenue Lansing Michigan 48906 USA info@cahs-lansing.org www.cahs-lansing.org

**Animal Information** 

**Animal** A0049742345 ID:

Name: Whiskey Types: Dog

Gender: Male

Tel: 517-626-6060

ARN:

DOB:

3/10/2021

Breeds: Mixed Breed, Medium (up to 44 lbs fully grown), Mix

Altered: Yes

Chip #:

982091066561265 Current

Age:

3 y 4 m 24 d

Colors: Tan/Black

Size: Medium

Type:

24PetWatch

Age Group: Adult (1 year to 6 years)

Pattern: Tricolor

Weight: 49.60

pound

**Surgery Information** 

Record #: M0065962614

Type:

Surgery

Subtype:

**CAHS Neuter** 

Status: Site:

Completed Capital Area Humane Society Status Date: Provider:

03/11/2022 03:57PM **Cheryl Beatty** 

**Review Date: Assistant:** 

**Surgery Notes** 

SURGICAL PROCEDURE:

Spay/neuter, mass removal, and hernia repair performed. Complete surgical record available for adopters upon request.

ITEMS FOUND AT TIME OF SURGERY:

Surgical removal of 4cm round hard mass over umbilicus with thin stretched purple-tinged skin. Was a strangulated mass of omentum from an umbilicial hernia. Mass removed and hernia repaired.

TO BE DISCUSSED AT TIME OF ADOPTIONS:

No external sutures present.

POST-OP MEDICATIONS:

Carprofen 100mg: Give 1/2 tablet by mouth every 24 hours for 5 days. Start 3/12, end 3/16.

THIS ANIMAL HAS MEDICATION TO GO HOME WITH ADOPTER

## **Post Surgical Instructions**

Your pet has been neutered recently by a licensed veterinarian. If you have any questions or concerns following surgery, please call the CAHS Clinic at 517-626-6060 x134 Monday through Friday. For after hour or weekend emergencies, please call your regular veterinarian or MSU Small Animal Hospital at 517-353-5420.

For the night following surgery you may offer your pet small amounts of food and water. Your pet may not want to eat/drink and that is OK. If your pet does decide to eat/drink, he may vomit. Your pet may be nauseous and disoriented tonight but this should resolve by the morning after surgery.

Your pet has received an injection of pain medication that will last for 24 hours. If you feel that your pet needs further pain medication, please contact your regular veterinarian.

Vaccination Certificate -

Tel: 517-626-6060



**Capital Area Humane Society** 7095 W Grand River Avenue Lansing Michigan 48906 USA info@adoptlansing.org www.AdoptLansing.org

**Animal Information** 

Animal Gender: Male A0049742345 Whiskey Types: Dog Name: ID:

Mixed Breed, Medium (up to 44 Altered: Yes DOB: 3/10/2021 ARN:

lbs fully grown), Mix

Current 982091066561265 Size: Medium Chip #: 3 y 4 m 12 d Colors: Tan/Black Age:

49.60 Age Adult (1 year to 6 Pattern: Tricolor Weight: 24PetWatch Type: pound Group: years)

**Vaccination Certificate** 

Status Date: 07/22/2024 Dose: 1.00 vial Vaccine: Rabies 1 year -Status: Completed

Nobivac Re-Vac

Length: 1 years 7/22/2025 2:16:00 **Body Part:** Right rear Route: Subcutaneous

Date:

Product: Nobivac 3-Rabies Provider: Assistant: Killed Jamie Morrison Type:

Merck Animal Health Serial / Lot 661361 Expiry Date: 02/11/2025 Container Mfg:

#:

Issued: 07/22/2024 ID Issuer: ID #: 8739

Is License? No

Issuer **Expires:** ID Type: Rabies Tag Phone:

Veterinarian's Signature

Veterinarian's L icense # 0901010378



7095 West Grand River Avenue Lansing, MI 48906 Phone: (517) 626-6060 Fax: (517) 626-2560

# Certificate of Spay / Neuter

This certifies that the animal described below has a surgical scar consistent with an:

Ovariohysterectomy / Castration

Date of Certificate: 8 3 24

Animal's Information:

Name: Whistey Canine Feline

Breed(s): MIXED

Sex: Male Female Age: 3 yr Color: ton + block

Chery Beafty, D.V.M.